

Message

---

**From:** Mues, Pascal [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0B2AB2E32A7049D78F063FA77D054524-PMUES]  
**Sent:** 10/28/2020 12:37:51 AM  
**To:** Moore, Heaven@Waterboards [Heaven.Moore@Waterboards.ca.gov]  
**CC:** Herman, Matthew T.@Waterboards [Matthew.Herman@Waterboards.ca.gov]; McSmith, Justin@Waterboards [Justin.McSmith@Waterboards.ca.gov]  
**Subject:** RE: Eureka - Their response to our comments regarding their ammonia model proposal

Heaven – Sorry that your previous E-mail came just after I took leave to provide eldercare for my grandmother. I'm sure we can find a workable time, now that I'm past the "crunch" of the end of the federal fiscal year. What days and hours might fit your schedule? My Outlook calendar is up to date regarding my availability.

-Pascal

**Pascal Mues**, Environmental Engineer  
NPDES Permits office, U.S. EPA Region 9, WTR-2-3  
75 Hawthorne Street, San Francisco, CA 94105  
Phone: (415)-972-3768 | [mues.pascal@epa.gov](mailto:mues.pascal@epa.gov)

---

**From:** Moore, Heaven@Waterboards <Heaven.Moore@Waterboards.ca.gov>  
**Sent:** Tuesday, October 27, 2020 4:47 PM  
**To:** Mues, Pascal <Mues.Pascal@epa.gov>  
**Cc:** Herman, Matthew T.@Waterboards <Matthew.Herman@Waterboards.ca.gov>; McSmith, Justin@Waterboards <Justin.McSmith@Waterboards.ca.gov>  
**Subject:** Re: Eureka - Their response to our comments regarding their ammonia model proposal

Hi Pascal,  
I just wanted to follow up with you on this. Do you think you might have some time for a brief meeting to discuss? I would like to get your input so that we can provide comments back to the city of Eureka. Thanks so much for your help on this.  
~Heaven

Heaven H. Moore, PE  
Senior Water Quality Control Engineer - NPDES Unit  
North Coast Regional Water Quality Control Board  
5550 Skylane Blvd., Suite A  
Santa Rosa, CA 95403-1072

*The Governor of California has issued a statewide shelter in place order due to the COVID-19 emergency. The Water Boards are continuing day-to-day work protecting public health, safety, and the environment. However, most staff are working remotely. Therefore email is the best mode of communication. Thank you and stay well.*

---

**From:** Goodwin, Cathleen@Waterboards <Cathleen.Goodwin@waterboards.ca.gov>  
**Sent:** Thursday, September 10, 2020 11:26 AM  
**To:** Pascal Mues <Mues.Pascal@epa.gov>  
**Cc:** Moore, Heaven@Waterboards <Heaven.Moore@Waterboards.ca.gov>; Herman, Matthew T.@Waterboards <Matthew.Herman@Waterboards.ca.gov>  
**Subject:** Eureka - Their response to our comments regarding their ammonia model proposal

Hi Pascal:

I hope all is well with you. I'm a bit delayed in sending this to you, but I am now finding the time to get back to Eureka. They submitted their responses to our comments on their ammonia model proposal.

I am leaving on vacation now, so I just wanted to get this sent to you before I go. I will be back at work on September 29 or 30.

Take Care,  
Cathy

Cathleen Goodwin  
Water Resources Control Engineer  
North Coast Regional Water Quality Control Board  
5550 Skylane Boulevard, Suite A  
Santa Rosa, CA 95403

Desk Phone No.: (707) 576-2687  
Fax Phone No.: (707) 523-0135  
Email: [Cathleen.Goodwin@waterboards.ca.gov](mailto:Cathleen.Goodwin@waterboards.ca.gov)

*The governor of California has issued a statewide shelter in place order due to the COVID-19 emergency. The Water Boards are continuing day-to-day work protecting public health, safety, and the environment. However, most staff are working remotely and we continue to check email and voicemail regularly. Thank you and stay healthy and safe.*